

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently Amended) A method implemented in circuitry, comprising:
accessing a program comprising a plurality of instructions including at least one non-operation (NOP) instruction;
determining one instruction in the program preceding a determined NOP instruction whose movement forward to replace the determined NOP instruction will not result in data not being available when needed; and
replacing the determined NOP instruction with the determined instruction preceding the determined NOP instruction
~~removing at least one NOP instruction in the program that is not needed to provide a processing delay to ensure data is available to at least one dependent instruction accessing the data.~~
2. (Currently Amended) The method of claim 1, further comprising wherein
~~removing the at least one NOP instruction comprises at least one of:~~
deleting one NOP instruction in the program that is not needed to provide [[the]] a processing delay to ensure the data is available to at least one dependent instruction without moving a non-NOP instruction;
~~replacing one NOP instruction with one determined instruction preceding the NOP instruction in response to determining that one instruction preceding at least one NOP instruction is capable of replacing the NOP instruction in the program.~~
3. (Currently Amended) The method of claim 1, further comprising:
deleting at least one NOP instruction in the program that is not needed to provide the processing delay to ensure the data is available to at least one dependent instruction; and
after deleting the at least one instruction, replacing at least one NOP instruction with one determined instruction, preceding the at least one NOP instruction, whose movement forward to replace the determined NOP instruction will not result in data not being available when needed

~~preceding the at least one NOP instruction in response to determining that one instruction
preceding at least one NOP instruction is capable of replacing the NOP instruction in the
program.~~

4. (Original) The method of claim 3, further comprising:
performing an additional iteration of deleting at least one instruction and then replacing
the at least one NOP instruction in response to replacing at least one NOP instruction.

5. (Original) The method of claim 1, wherein the instructions in the program
comprise assembly language instructions coded by a developer.

6. (Currently Amended) The method of claim [[1]] 2, wherein ~~removing deleting~~
NOP instructions in the program further comprises accessing and processing each NOP
instruction by:

determining whether the accessed NOP instruction is needed to delay processing of one
dependent instruction following the accessed NOP instruction to ensure that data is available to
the dependent instruction accessing the data; and

deleting the accessed NOP instruction in response to determining that the NOP
instruction is not needed to ensure that data is available to the dependent instruction accessing
the data..

7. (Currently Amended) The method of claim 6, wherein determining whether the
accessed NOP instruction is needed to delay processing of one dependent instruction further
comprises:

identifying instructions preceding the NOP instruction that have a delay in writing the
results[.]; and

identifying dependent instructions following the NOP instruction that are dependent on
an availability of data from the identified instructions having the delay in writing the results.

8. (Currently Amended) The method of claim 1, wherein the determining of one
instruction in the program to move forward comprises determining one instruction whose

~~movement forward to replace the determined NOP instruction will not result in data not; and wherein removing NOP instructions in the program further comprises accessing and processing each NOP instruction by:~~

~~replacing the accessed NOP instruction with one previous non-NOP instruction that is capable of being moved forward to replace the accessed NOP instruction without preventing data from being available to one dependent instruction following the NOP instruction.~~

9. (Original) The method of claim 8, wherein the one previous instruction comprises a preceding instruction closest to the accessed NOP instruction in the program.

10. (Currently Amended) The method of claim 8, further comprising wherein removing the NOP instructions further comprises:

deleting at least one NOP instruction not needed to ensure that data accessed by the dependent instruction is available to the dependent instruction, wherein the operations of replacing accessed NOP instructions with previous non-NOP instructions are performed after deleting NOP instructions not needed to ensure that data accessed by the dependent instruction is available.

11. (Currently Amended) The method of claim 1, wherein the determined instruction is further removing NOP instructions in the program further comprises accessing each NOP instruction and performing:

~~replacing the accessed NOP instruction with one previous non-NOP instruction that is capable of being moved forward to replace the accessed NOP instruction without preventing data from being available to one dependent instruction following the NOP instruction and that is not a branch target instruction.~~

12. (Original) The method of claim 1, wherein the program instructions are for execution by an engine in a multiprocessor engine.

13. (Currently Amended) A system for processing a plurality of instructions including at least one no operation (NOP) instruction, comprising:

a processor;
a code optimizer executed by the processor to perform operations, the operations
comprising:

circuitry operable to:

access the program;

determine one instruction in the program preceding a determined NOP instruction
whose movement forward to replace the determined NOP instruction will not result in
data not being available when needed; and

replace the determined NOP instruction with the determined instruction preceding
the determined NOP instruction

remove at least one NOP instruction in the program that is not needed to provide a
processing delay to ensure data is available to at least one dependent instruction
accessing the data.

14. (Currently Amended) The system of claim 13, wherein the operations further
comprise operation to remove the at least one NOP instruction is further operable:

delete one NOP instruction in the program that is not needed to provide the processing
delay to ensure the data is available to at least one dependent instruction without moving a non-
NOP instruction; and

replace one NOP instruction with one determined instruction preceding the NOP
instruction in response to determining that one instruction preceding at least one NOP instruction
is capable of replacing the NOP instruction in the program.

15. (Currently Amended) The system of claim 13, wherein the operations further
comprise circuitry is further operable to:

delete at least one NOP instruction in the program that is not needed to provide the
processing delay to ensure the data is available to at least one dependent instruction; and

after deleting the at least one instruction, replace at least one NOP instruction with one
determined instruction, preceding the at least one NOP instruction, whose movement forward to
replace the determined NOP instruction will not result in data not being available when needed

~~in response to determining that one instruction preceding at least one NOP instruction is capable of replacing the NOP instruction in the program.~~

16. (Currently Amended) The system of claim 15, wherein the operations further comprise circuitry is further operable to:

perform an additional iteration of deleting at least one instruction and then replacing the at least one NOP instruction in response to replacing at least one NOP instruction.

17. (Original) The system of claim 13, wherein the instructions in the program comprise assembly language instructions coded by a developer.

18. (Currently Amended) The system of claim [[13]] 14, wherein the operation to ~~remove delete~~ NOP instructions in the program further comprises accessing and processing each NOP instruction to:

determine whether the accessed NOP instruction is needed to delay processing of one dependent instruction following the accessed NOP instruction to ensure that data is available to the dependent instruction accessing the data; and

delete the accessed NOP instruction in response to determining that the NOP instruction is not needed to ensure that data is available to the dependent instruction accessing the data.

19. (Currently Amended) The system of claim 18, wherein the operation to determine whether the accessed NOP instruction is needed to delay processing of one dependent instruction further performs is further operable to:

identify instructions preceding the NOP instruction that have a delay in writing the results[.]; and

identify dependent instructions following the NOP instruction that are dependent on an availability of data from the identified instructions having the delay in writing the results.

20. (Currently Amended) The system of claim 13, wherein the determining of one instruction in the program to move forward comprises determining one instruction whose movement forward to replace the determined NOP instruction will not result in data not wherein

~~the operation to remove NOP instructions in the program further accesses and processes each NOP instruction to:~~

~~replace the accessed NOP instruction with one previous non-NOP instruction that is capable of being moved forward to replace the accessed NOP instruction without preventing data from being available to one dependent instruction following the NOP instruction.~~

21. (Currently Amended) The system of claim [[21]] 20, wherein the one previous instruction comprises a preceding instruction closest to the accessed NOP instruction in the program.

22. (Currently Amended) The system of claim 13, wherein the operations further comprise operation to remove the NOP instructions is further operable to:

delete at least one NOP instruction not needed to ensure that data accessed by [[the]] a dependent instruction is available to the dependent instruction, wherein the operations of replacing accessed NOP instructions with previous non-NOP instructions are performed after deleting NOP instructions not needed to ensure that data accessed by the dependent instruction is available.

23. (Currently Amended) The system of claim 13, wherein the determined instruction is further the operation to remove NOP instructions in the program further accesses each NOP instruction to:

~~replace the accessed NOP instruction with one previous non-NOP instruction that is capable of being moved forward to replace the accessed NOP instruction without preventing data from being available to one dependent instruction following the NOP instruction and that is not a branch target instruction.~~

24. (Currently Amended) An article of manufacture comprising at least one of hardware logic and a computer storage medium having code that is executed enabled to perform operations, the operations comprising:

access a program comprising a plurality of instructions including at least one no operation (NOP) instruction;

determine one instruction in the program preceding a determined NOP instruction whose movement forward to replace the determined NOP instruction will not result in data not being available when needed; and

replace the determined NOP instruction with the determined instruction preceding the determined NOP instruction

~~remove at least one NOP instruction in the program that is not needed to provide a processing delay to ensure data is available to at least one dependent instruction accessing the data.~~

25. (Currently Amended) The article of manufacture of claim 24, wherein the ~~operation to remove the at least one NOP instruction is further operable to~~ operations further comprise:

~~delete one NOP instruction in the program that is not needed to provide [[the]] a processing delay to ensure the data is available to at least one dependent instruction without moving a non-NOP instruction; and~~

~~replace one NOP instruction with one determined instruction preceding the NOP instruction in response to determining that one instruction preceding at least one NOP instruction is capable of replacing the NOP instruction in the program.~~

26. (Currently Amended) The article of manufacture of claim 24, ~~wherein the article of manufacture is further operable to~~ wherein the operations further comprise:

~~delete at least one NOP instruction in the program that is not needed to provide [[the]] a processing delay to ensure the data is available to at least one dependent instruction; and~~

~~after deleting the at least one instruction, replace at least one NOP instruction whose movement forward to replace the determined NOP instruction will not result in data not being available when needed with one determined instruction preceding the at least one NOP instruction in response to determining that one instruction preceding at least one NOP instruction is capable of replacing the NOP instruction in the program.~~

27. (Currently Amended) The article of manufacture of claim 26, wherein the ~~article of manufacture is further operable to~~ operations further comprise:

perform an additional iteration of deleting at least one instruction and then replacing the at least one NOP instruction in response to replacing at least one NOP instruction.

28. (Original) The article of manufacture of claim 24, wherein the instructions in the program comprise assembly language instructions coded by a developer.

29. (Currently Amended) The article of manufacture of claim ~~[[24]]~~ 25, wherein the ~~operation to remove deleting of the~~ NOP instructions in the program further accesses and processes each NOP instruction to:

determine whether the accessed NOP instruction is needed to delay processing of one dependent instruction following the accessed NOP instruction to ensure that data is available to the dependent instruction accessing the data; and

delete the accessed NOP instruction in response to determining that the NOP instruction is not needed to ensure that data is available to the dependent instruction accessing the data.

30. (Currently Amended) The article of manufacture of claim 29, wherein the operation to determine whether the accessed NOP instruction is needed to delay processing of one dependent instruction further performs ~~is further operable to:~~

identify instructions preceding the NOP instruction that have a delay in writing the results[.]; and

identify dependent instructions following the NOP instruction that are dependent on a availability of data from the identified instructions having the delay in writing the results.

31. (Currently Amended) The article of manufacture of claim 24, ~~wherein the operation to remove NOP instructions in the program further accesses and processes each NOP instruction to:~~

~~replace the accessed NOP instruction with one previous non-NOP instruction that is capable of being moved forward to replace the accessed NOP instruction without preventing data from~~ wherein the determining of one instruction in the program to move forward comprises

determining one instruction whose movement forward to replace the determined NOP instruction will not result in data not being available to one dependent instruction following the NOP instruction.

32. (Original) The article of manufacture of claim 31, wherein the one previous instruction comprises a preceding instruction closest to the accessed NOP instruction in the program.

33. (Currently Amended) The article of manufacture of claim 31, ~~wherein the operation to remove the NOP instructions is further operable to~~ wherein the operations further comprise:

delete at least one NOP instruction not needed to ensure that data accessed by the dependent instruction is available to the dependent instruction, wherein the operations of replacing accessed NOP instructions with previous non-NOP instructions are performed after deleting NOP instructions not needed to ensure that data accessed by the dependent instruction is available.

34. (Currently Amended) The article of manufacture of claim 24, ~~wherein the operation to remove NOP instructions in the program further accesses each NOP instruction to:~~
~~replace the accessed NOP instruction with one previous non-NOP instruction that is~~
~~capable of being moved forward to replace the accessed NOP instruction without preventing data~~
~~from being available to one dependent instruction following the NOP instruction and that the~~
determined instruction is further is not a branch target instruction.

35. (Original) The article of manufacture of claim 24, wherein the program instructions are for execution by an engine in a multiprocessor engine.